

**Practice Final Exam**

March 28, 2023

All numbered exercises are from the textbook *Real Analysis, Foundations and Functions of One Variable*, by Laczkovich and Sos.

0. Practice problems from all Problem Sets and Practice Midterms, and unfinished proofs/exercises from lectures.
1. (a) State the Cantor-Bernstein Theorem.  
 (b) Use only Cantor-Bernstein Theorem to prove that the intervals  $(0, 1)$  and  $(0, 1]$  are equinumerous.  
 (c) Use only Cantor-Bernstein Theorem to prove that the sets  $(0, 2) \setminus \{1\}$  and  $[0, 1]$  are equinumerous.
2. (a) State the definition of an equivalence relation on a set  $A$ .  
 (b) Give an example of a reflexive relation on a set  $A$ , which is not an equivalence relation. Justify.  
 (c) Give an example of a symmetric relation on a set  $A$ , which is not an equivalence relation. Justify.
3. (a) State the definition of divergence to  $\infty$  and to  $-\infty$  (for a sequence of real numbers).  
 (b) Give an example of an unbounded sequence, which does not diverge to  $\infty$  nor  $-\infty$ . Justify.
4. (a) State the definitions of supremum and infimum of a non-empty bounded set  $A \subset \mathbb{R}$ .  
 (b) Give an example of a bounded set  $A$ , for which  $\inf(A) \notin A$  and  $\sup(A) \in A$ . Justify.  
 (c) Characterize the intervals  $I \subset \mathbb{R}$  with the property that  $\inf(I), \sup(I) \in I$ . Justify.  
 (d) Give an example of bounded sets  $A, B \subset \mathbb{R}$ , such that  $A \neq \emptyset \neq B$ ,  $A \cap B = \emptyset$ ,  $\inf(A) = \inf(B)$ , and  $\sup(A) = \sup(B)$ . Justify. Could  $A$  and/or  $B$  be chosen finite? Justify.
5. (a) State the definition of continuity, uniform continuity, and the Lipschitz condition for a function  $f : A \rightarrow \mathbb{R}$ .  
 (b) State the definitions of pointwise and uniform convergence of a functional sequence  $(f_n)$ .  
 (c) State the definitions of pointwise, uniform, and absolute convergence of a functional series  $\sum f_n$ .
6. (a) State the most general versions of Extreme Value Theorem and Intermediate Value Theorem (for real-valued functions of real variable).  
 (b) State the Heine-Borel Theorem.  
 (c) State the Weierstrass M-Test.
7. For each of the theorems stated in Problem 6, remove one of the assumptions and give a counterexample to a theorem with that assumption missing. Justify. (E.g., give an example of a closed unbounded set, which does not satisfy the definition of a compact set.)
8. (a) State the definitions of (strictly) increasing/decreasing functions.  
 (b) State the definitions of  $\lim_{x \rightarrow a^-} f(x)$  and  $\lim_{x \rightarrow a^+} f(x)$ .  
 (c) Prove that a monotone function  $f : \mathbb{R} \rightarrow \mathbb{R}$  can only have jump discontinuities (i.e., no other types of discontinuities).
9. (a) State the definition of uniform convergence of a sequence of functions  $f_n : A \rightarrow \mathbb{R}$ .  
 (b) Let  $(f_n)$  be a sequence of functions on  $\mathbb{R}$ , uniformly convergent to a function  $f : \mathbb{R} \rightarrow \mathbb{R}$ . Suppose that, for each  $n \in \mathbb{N}$ , there exists  $M_n \in \mathbb{R}$  with  $f_n(x) > M_n$  for all  $x \in \mathbb{R}$ . Prove that there exists  $M \in \mathbb{R}$  such that  $f(x) > M$  for all  $x \in \mathbb{R}$ .
10. Let  $f : \mathbb{R} \rightarrow \mathbb{R}$  be a continuous function. Use only definition of continuity and openness, to prove that the set  $\{x \in \mathbb{R} : f(x) < 0\}$  is open.